Author index

AGNATI, L. F. (*see* CINTRA, A.)
AGNATI, L. F. (*see* FUXE, K.), 155, 157, 551, 563
AHLMAN, H. (*see* DAHLSTRAND, C.)
ALBERTS, P. Effects of N^6,2′-*O*-dibutyryladenosine 3′,5′-cyclic monophosphate, adenosine, and of oxotremorine and 3-isobutyl-1-methylxanthine on the electrically evoked [^{3}H]acetylcholine secretion in the guinea-pig myenteric plexus, 489
ANDBJER, B. (*see* FUXE, K.), 155, 157
ANDÉN, N.-E. (*see* OLSSON, K.)
ANDERSSON, K.-E. (*see* BATRA, S.)
ANDERSSON, S. A. (*see* SHYU, B.), 73, 85
ANDERSSON, S. E. Effects of intravenous calcitonin gene-related peptide (CGRP) on local blood flow in the cat, 259
ANDERSSON, S. E. Cardiovascular responses to intravenous calcitonin gene-related peptide (CGRP) in the albino rabbit, 279
ÄNGGÅRD, A. (*see* HULTING, A.-L.)
ÄNGGÅRD, E. (*see* CINTRA, A.)
ÄNGGÅRD, E. (*see* FUXE, K.), 155, 563
APPELGREN, L.-E., ODLIND, B. & WISTRAND, P. J. Tissue distribution of ^{125}I-labelled carbonic anhydrase isozymes I, II and III in the rat, 449
ÅRHEM, P. & JOHANSSON, S. A model for the fast 4-aminopyridine effects on amphibian myelinated nerve fibres. A study based on voltage-clamp experiments, 53
ARNMAN, V. (*see* KARLSTRÖM, G.)
ÅSTRAND, P.-O. (*see* MORITANI, T.)
ASTRUP, A. (*see* THOMSEN, C.)
AUGUSTINSSON, O., JÓNASSON, H. & JUNKERGÅRD, J. Aldosterone secretion during acute metabolic and respiratory alkalosis in the goat, 143
AUSONI, S. (*see* KLITGAARD, H.)

BAER, R. & EIKEN, O. Effects of continuous positive- and negative-pressure breathing on the pattern of breathing in man during exercise, 301
BAO, J. X. & STJÄRNE, L. Field stimulation-induced, endothelium-dependent relaxation of rat tail artery is blocked by α, β-methylene ATP and known inhibitors of the arachidonic acid cascade, 153
BARTFAI, T. (*see* IVERFELDT, K.)
BATRA, S. & ANDERSSON, K.-E. Oestrogen-induced changes in muscarinic receptor density and contractile responses in the female rabbit urinary bladder, 135
BERGSTRÖM, G. (*see* KARLSTRÖM, G.)
BIRD, E. (*see* SCHALLING, M.)
BJØRO, T. (*see* SAND, O.)
BLOM, P. C. S. (*see* VØLLESTAD, N. K.)
BRIDÉN, S. Electrophysiological characteristics of the *Necturus* proximal duodenal mucosa: effects of ion substitutions, 469
BRIDÉN, S. & FLEMSTRÖM, G. Alkaline secretion by *Necturus* proximal duodenal mucosa, 481
BUGGE, J. F. (*see* OSTENSEN, J.)
BÜLOW, J. (*see* THOMSEN, C.)
BUSTAMANTE, S. A., JODAL, M., NILSSON, N. J. & LUNDGREN, O. Evidence for a countercurrent exchanger in the intestinal villi of suckling swine, 207

CANLON, B., CARTAUD, J. & CHANGEUX, J. P. Localization of α-bungarotoxin binding sites on outer hair cells from the guinea-pig cochlea, 549
CARTAUD, J. (*see* CANLON, B.)
CECCATELLI, S., DAGERLIND, Å., SCHALLING, M., WIKSTRÖM, A.-C., OKRET, S., GUSTAFSSON, J. A., GOLDSTEIN, M. & HÖKFELT, T. The glucocorticoid receptor in the adrenal gland is localized in the cytoplasm of adrenaline cells, 559
CEDERQVIST, B. (*see* WIKLUND, N. P.)
CHANGEUX, J. P. (*see* CANLON, B.)
CHAOULOFF, F. Physical exercise and brain monoamines: a review, 1
CHEN, B. (*see* SAND, O.)
CINTRA, A. (*see* FUXE, K.), 155, 551, 563
CINTRA, A., FUXE, K., ÄNGGÅRD, E., TINNER, B., STAINES, W. & AGNATI, L. F. Increased endothelin-like immunoreactivity in ibotenic acid-lesioned hippocampal formation of the rat brain, 557
CLEVERS, J.(*see* PARK, R. G.)
COOLS, A. R. (*see* VAN DEN BOS, R.)

DAGBJARTSSON, A., HERBERTSSON, G., STEFANSSON, T. S., KJELD, M., LAGERCRANTZ, H. & ROSEN, K. G. Beta-adrenoceptor agonists and hypoxia in sheep fetuses, 291
DAGERLIND, Å (*see* CECCATELLI, S.)
DAHLBORN, K. (*see* OLSSON, K.)
DAHLÉN, S.-E. (*see* HEDQVIST, P.)
DAHLSTRAND, C., THEODORSSON, E., DAHLSTRÖM, A. & AHLMAN, H. VIP antisera inhibit the relaxatory motor responses of the feline sphincter of Oddi and gall-bladder induced by VIP or vagal nerve stimulation, 375
DAHLSTRÖM, A. (*see* DAHLSTRAND, C.)
DAMIANI, E. (*see* KLITGAARD, H.)
DASGUPTA, B. R. (*see* MOLGÓ, J.)
DIAZ ARNESTO, L. (*see* IVERFELDT, K.)
DIENER, M. & RUMMEL, W. Actions of the Cl^- channel blocker NPPB on absorptive and secretory transport

processes of Na^+ and Cl^- in rat descending colon, 215

EHRLICH, M. (*see* MEISTER, B.)
EIKEN, O. (*see* BAER, R.)
ECKBERG, D. L., WALLIN, B. B., FAGIUS, J., LUNDBERG, L. & TOREBJÖRK, H. E. Prospective study of symptoms after human microneurography, 567
EKBLAD, M., Omeprazole: inhibitor of both acid formation and translocation in gastric mucosa, 223
EKBLOM, B. (*see* HELLSTEN WESTING, Y.)
EKBLOM, M. (*see* PERSSON, B.-E.)
EKMEHAG, B. L. Electrical and mechanical responses to inhibition of cell respiration in vascular smooth muscle of the rat portal vein, 41
ELY, D. L. (*see* SJÖBLOM-WIDFELDT, N.)
ENGSTRÖM, K. G. & SANDSTRÖM, P. E. Volume regulation in mouse pancreatic islet cells as studied by a new technique of microperifusion, 393
ERIKSSON, L. (*see* OLSSON, K.)
VON EULER,. G., MEISTER, B., HÖKFELT, T. & FUXE, K. Intraventricular injection of neurotensin reduces the binding of dopamine D-2 receptors in the rat forebrain, 309

FAGIUS, J. (*see* ECKBERG, D. L.)
FAGIUS, J., KARHUVAARA, S. & SUNDLÖF, G. The cold pressor test: effects on sympathetic nerve activity in human muscle and skin nerve fascicles, 325
FÄNDRIKS, L., JÖNSON, C. & LISANDER, B. Hypothalamic inhibition of duodenal alkaline secretion via a sympatho-adrenergic mechanism in the rat, 357
FLEMSTRÖM, G. (*see* BRIDÉN, S.)
FOLKOW, B. (*see* SJÖBLOM-WIDFELDT, N.)
FRANCO-CERECEDA, A., LOU, Y.-P. & LUNDBERG, J. M. Ruthenium red differentiates between capsaicin and nicotine effects on cardiac sensory nerves, 457
FRANCO-CERECEDA, A. & LUNDBERG, J. M. Post-occlusive reactive hyperaemia in the heart, skeletal muscle and skin of control and capsaicin-pre-treated pigs, 271
FREEDMAN, J. (*see* HÖKFELT, T.)
FRIBERG, K. (*see* SCHALLING, M.)
FUXE, K. (*see* CINTRA, A.)
FUXE, K. (*see* VON EULER, G.)
FUXE, K., ANDBJER, B., KALIA, M. & ÄGNÅTI, L. F. Centrally administered endothelin-1 produces apnoea in the α-chloralose anaesthetized male rat, 157
FUXE, K., ÄNGGÅRD, E., LUNDGREN, K., CINTRA, A., AGNATI, L. F., GALTON, S. & VANE, J. Localization of [^{125}I]endothelin-3 binding sites in the rat brain, 563
FUXE, K., CINTRA, A., ANDBJER, B., ÄNGGÅRD, E., GOLDSTEIN, M. & AGNATI, L. F. Centrally administered endothelin-1 produces lesions in the brain of the male rat, 155
FUXE, K., TINNER, B., JANSON, A. M., CINTRA, A., STAINES, W. & AGNATI, L. F. On the cellular localization and distribution of the ganglioside GM1 in the rat brain as revealed by immunofluorescence histochemically of cholera toxin binding sites, 551

GAFFNEY, P. (*see* KJAELDGAARD, A.)
GALTON, S. (*see* FUXE, K.)
GILLIS, C. (*see* HAEGERSTRAND, A.)
GOLDSTEIN, M. (*see* CECCATELLI, S.)
GOLDSTEIN, M. (*see* FUXE, K.)
GOLDSTEIN, M. (*see* SCHALLING, M.)
GÖTHBERG, G. (*see* KARLSTRÖM, G.)
GREENGARD, P. (*see* MEISTER, B.)
GRIMELIUS, L. (*see* HULTING, A.-L.)
GRØNNERØD, O. (*see* VØLLESTAD, N. K.)
GUSTAFSSON, H. (*see* SJÖBLOM-WIDFELDT, N.)
GUSTAFSSON, J. Å. (*see* CECCATELLI, S.)
GUSTAFSSON, L. E. (*see* WIKLUND, N. P.)

HAEGERSTRAND, A., HEMSÉN, A., GILLIS, C., LARSSON, O. & LUNDBERG, J. M. Endothelin: presence in human umbilical vessels, high levels in fetal blood and potent constrictor effect, 541
HAEGGSTRÖM, J. (*see* HEDQVIST, P.)
HARTMANN, A. (*see* ØSTENSEN, J.)
HAUG, E. (*see* SAND, O.)
HEDQVIST, P. (*see* WIKLUND, N. P.)
HEDQVIST, P., RAUD, J., PALMERTZ, U., HAEGGSTRÖM, J., NICOLAOU, K. C. & DAHLÉN, S.-E., Lipoxin A_4 inhibits leukotriene B_4-induced inflammation in the hamster cheek pouch, 571
HEILIG, M., VECSEI, L. & WIDERLÖV, E. Opposite effects of centrally administered neuropeptide Y (NPY) on locomotor activity of spontaneously hypertensive (SH) and normal rats, 243
HELLSTEN WESTING, Y., EKBLOM, B. & SJÖDIN, B. The metabolic relation between hypoxanthine and uric acid in man following maximal short-distance running, 341
HELLSTRÖM, P. M. (*see* THOLLANDER, M.)
HEMLIN, M. Interaction between sympathetic nerves fibres and epithelial transport in the rat jejunal mucosa *in vivo*, 365
HEMSÉN, A. (*see* HAEGERSTRAND, A.)
HEMSÉN, A. (*see* PERNOW, J.)
HENRIKSEN, O (*see* THOMSEN, C.)
HJELMDAHL, P. (*see* LARSSON, P. T.)
HENRIKSSON, J. (*see* NIE, Z. T.)
HERBERTSSON, G. (*see* DAGBJARTSSON, A.)
HJELMQVIST, H. (*see* JONASSON, H.)
HÖKFELT, T. (*see* CECCATELLI, S.)
HÖKFELT, T. (*see* VON EULER, G.)
HÖKFELT, T. (*see* HULTING, A.-L.)
HÖKFELT, T. (*see* MEISTER, B.)
HÖFELT, T. (*see* PELTO-HUIKKO, M.)
HÖKFELT, T. (*see* SCHALLING, M.)

HÖKFELT, T. (*see* XU, X.-J.)
HÖFELT, T., POST, C., FREEDMAN, J., LUNDBERG, J. M. & TERENIUS, L. Endothelin induces spinal lesions after intrathecal administration, 555
HUANG, K. H. (*see* SHYU, B.)
HULTING, A.-L., MEISTER, G. B., GRIMELIUS, L., WERSÄLL, J., ÄNGGÅRD, A. & HÖKFELT, T. Production of a galanin-like peptide by a human pituitary adenoma: immunohistochemical evidence, 561

ILLES, P. & REGENOLD, J. T. ω-Contoxin GVIA and nifedipine inhibit Ca^{2+} action potentials in rat locus coeruleus neurons, 459
IVERFELDT, K., SERFÖZÖ, P., DIAZ ARNESTO, L. & BARTFAI, T. Differential release of coexisting neurotransmitters: frequency dependence of the efflux of substance P, thyrotropin releasing hormone and [^{3}H]serotonin from tissue slices of rat ventral spinal cord, 63
IVERSEN, P. O. & NICOLAYSEN, G. Heterogeneous blood flow distribution within single skeletal muscles in the rabbit: role of vasomotion, sympathetic nerve activity and effect of vasodilation, 125

JANSON, A. M. (*see* FUXE, K.)
JENSEN, K. E. (*see* THOMSEN, C.)
JODAL, M. (*see* BUSTAMANTE, S. A.)
JOHANSSON, B. B. (*see* SOKRAB, T.-E. O.)
JOHANSSON, O. & SANDBERG, G. Effect of the neuropeptides β-MSH, neurotensin, NPY, PHI, somatostatin and substance P on proliferation of lymphocytes *in vitro*, 107
JOHANSSON, S. (*see* ÅRHEM, P.)
JÓNASSON, H. (*see* AUGUSTINSSON, O.)
JÓNASSON, H., HJELMQVIST, H. & RUNDGREN, M. Repeated hypotension induced by nitroprusside and haemorrhage in sheep: effects on vasopressin release and recovery of arterial blood pressure, 427
JÖNSON, C. (*see* FÄNDRIKS, L.)
JUEL, C. & WIBRAND, F. Lactate transport in isolated mouse muscles studied with a tracer technique – kinetics, stereospecificity, pH dependency and maximal capacity, 33
JUNKERGÅRD, J. (*see* AUGUSTINSSON, O.)

KALIA, M. (*see* FUXE, K.)
KARHUVAARA, S. (*see* FAGIUS, J.)
KARLBERG, B. E. (*see* OLSSON, K.)
KARLSEN, H. E. (*see* SAND, O.)
KARLSTRÖM, G., ARNMAN, V., BERGSTRÖM, G., MUIRHEAD, E. E., RUDENSTAM, J. & GÖTHBERG, G. Renal and circulatory effects of medullipin I, as studied in the *in-vivo* cross-circulated isolated kidney and intact Wistar–Kyoto (WKY) rat, 521
KIIL, F. (*see* ØSTENSEN, J.), 177, 184
KJAELDGAARD, A., KJAELDGAARD, M. & GAFFNEY, P. Presence of a fast-acting specific inhibitor of plasminogen activator in human parotid saliva, 379
KJAELDGAARD, M. (*see* KJAELDGAARD, A.)
KJELD, M. (*see* DAGBJARTSSON, A.)
KLITGAARD, H., AUSONI, S. & DAMIANI, E. Sarcoplasmic reticulum of human skeletal muscle: age-related changes and effect of training, 23

LAGERCRANTZ, H. (*see* DAGBJARTSSON, A.)
LANGBERG, H. (*see* ØSTENSEN, J.)
LÄNNE, T. (*see* LUNDVALL, J.)
LARSSON, O. (*see* HAEGERSTRAND, A.)
LARSSON, O. & OLGART, L. The enhancement of carbachol-induced salivary secretion by VIP and CGRP in rat parotid gland in mimicked by forskolin, 231
LARSSON, P. T., OLSSON, G., HJELMDAHL, P. & NILSSON, J. Mental stress and adrenaline increase plasma growth factor activity in humans, 565
LI, Q. (*see* SAND, O.)
LINDSTRÖM, P. (*see* OHLSSON, L.), 237, 543
LISANDER, B. (*see* FÄNDRIKS, L.)
LOU, Y.-P. (*see* FRANCO-CERECEDA, A.)
LUNDBERG, J. M. (*see* FRANCO-CERECEDA, A.), 271, 457
LUNDBERG, J. M. (*see* HAEGERSTRAND, A.)
LUNDBERG, J. M. (*see* HÖKFELT, T.)
LUNDBERG, J. M. (*see* PERNOW, J.), 317, 553
LUNDBERG, L. (*see* ECKBERG, D. L.)
LUNDGREN, K. (*see* FUXE, K.)
LUNDGREN, O. (*see* BUSTAMANTE, S. A.)
LUNDVALL, J. & LÄNNE, T. Large capacity in man for effective plasma volume control in hypovolaemia via fluid transfer from tissue to blood, 513

MCKINLEY, M. J. (*see* PARK, R. G.)
MALLIEUX, P. (*see* SCHALLING, M.)
MÅRDH, S. (*see* SONG, Y.-H.)
MARSH, D. J. (*see* PERSSON, B.-E.)
MEISTER, B. (*see* VON EULER, G.)
MEISTER, G. B. (*see* HULTING, A.-L.)
MEISTER, B., VILLAR, M. J., SCHALLING, M., EHRLICH, M., GREENGARD, P. & HÖKFELT, T. Demonstration of DARPP-32 in pituicytes of the neurohypophysis – decreased expression after administration of hyperosmotic stimuli, 461
MOLGÓ, J., DASGUPTA, B. R. & THESLEFF, S. Characterization of the actions of botulinum neurotoxin type E at the rat neuromuscular junction, 497
MORITANI, T., ODDSSON, L., THORSTENSSON, A. & ASTRAND, P.-O. Neural and biomechanical differences between men and young boys during a variety of motor tasks, 347
MSGHINA, M. (*see* STJÄRNE, L.), 151, 311, 313, 315
MUIRHEAD, E. E. (*see* KARLSTRÖM, G.)

NICOLAOU, K. C. (*see* HEDQVIST, P.)
NICOLAYSEN, G. (*see* IVERSEN, P. O.)
NIE, Z. T. & HENRIKSSON, J. *In-vitro* stimulation of the rat epitrochlearis muscle. III. Endogenous levels of branched-chain amino acids are maintained during acute contractions even in the absence of an exogenous supply, 543
NILSSON, H. (*see* SJÖBLOM-WIDFELDT, N.), 437, 443
NILSSON, S. (*see* LARSSON, P. T.)
NILSSON, N. J. (*see* BUSTAMANTE, S. A.)
NYGREN, K. (*see* OLSSON, K.)

OCHOA, J. L. (*see* YARNITSKY, D.)
ODDSSON, L. (*see* MORITANI, T.)
ODLIND, B. (*see* APPELGREN, L.-E.)
ÖGREN, S. O. (*see* VAN DEN BOS, R.)
ÖHLÉN, A. (*see* WIKLUND, N. P.)
OHLSSON, L. & LINDSTRÖM, P. Growth hormone-releasing factor induces a biphasic modulation of K^+ permeability in perfused cultured rat somatotrophs, 237
OHLSSON, L., LINDSTRÖM, P. & SEHLIN, J. Perchlorate stimulates potassium-induced growth hormone release in cultured rat somatotrophs, 545
OKRET, S. (*see* CECCATELLI, S.)
OLAUSSON, B. (*see* SHYU, B. C.), 73, 85, 503
OLGART, L. (*see* LARSSON, O.)
OLSSON, G. (*see* LARSSON, P. T.)
OLSSON, K., DAHLBORN, K., NYGREN, K., KARLBERG, B. E., ANDÉN, N.-E. & ERIKSSON, L. Fluid balance and arterial blood pressure during intracarotid infusions of atrial natriuretic peptide (ANP) in water-deprived goats, 249
ØSTENSEN, J. Analysis of reabsorbate concentrations in the proximal tubules of the dog kidneys during osmotic diuresis, 163
ØSTENSEN, J., STOKKE, E. S., BUGGE, J. F., LANGBERG, H. & KIIL, F. Difference between hypertonic NaCl and $NaHCO_3$ as osmotic diuretics in dog kidneys, 177
ØSTENSEN, J., STOKKE, E. S., HARTMANN, A., WENSELL, K. & KIIL, F. Low oxygen cost of carbonic anhydrase-dependent sodium reabsorbant in the dog kidney, 189

PALMERTZ, U. (*see* HEDQVIST, P.)
PARK, R. G., CLEVERS, J., MCKINLEY, M. J. & RUNDGREN, M. Renal denervation does not prevent dehydration-induced natriuresis in sheep, 199
PELTO-HUIKKO, M., PERSSON, H., SCHALLING, M., REHFELD, J. F. & HÖKFELT, T. Immunocytochemical demonstration of cholecystokinin-like immunoreactivity in spermatozoa in monkey testis and epididymis, 465
PERNOW, J. Characterization of the cardiovascular actions of endothelin *in vivo*: comparisons with neuropeptide Y and angiotensin II, 421
PERNOW, J., HEMSÉN, A. & LUNDBERG, J. M. Increased plasma levels of endothelin-like immunoreactivity during endotoxin administration in the pig, 317
PERNOW, J. & LUNDBERG, J. M. Endothelin-like immunoreactivity is released from the pig spleen during asphyxia, 553
PERSSON, B.-E., SAKAI, T., EKBLOM, M. & MARSH, D. J. Effect of bumetanide on tubuloglomerular feedback in *Necturus maculosus*, 93
PERSSON, H. (*see* PELTO-HUIKKO, M.)
POST, C. (*see* HÖKFELT, T.)

RAUD, J. (*see* HEDQVIST, P.)
REGENOLD, J. T. (*see* ILLES, P.)
REHFELD, J. F. (*see* PELTO-HUIKKO, M.)
ROSEN, K. G. (*see* DAGBJARTSSON, A.)
RUDENSTAM, J. (*see* KARLSTRÖM, G.)
RUMMEL, W. (*see* DIENER, M.)
RUNDGREN, M. (*see* JONASSON, H.)
RUNDGREN, M. (*see* PARK, R. G.)
RYDENHAG, B. (*see* SHYU, B. C.)
RYDQVIST, B. & ZHOU, J.-Y. Potential-dependent potassium currents in this slowly adapting stretch receptor neuron of the crayfish, 409

SAHLGREN, B. Regulation of glomerular angiotensin II receptors in hypertensive salt-sensitive Dahl rats: absence of response to variations in salt intake, 321
SAKAI, T. (*see* PERSSON, B.-E.)
SAND, O., CHEN, B., LI, Q., KARLSEN, H. E., BJØRO, T. & HAUG, E. Vasoactive intestinal peptide (VIP) may reduce the removal rate of cytosolic Ca^{2+} after transient elevations in clonal rat lactotrophs, 113
SANDBERG, G. (*see* JOHANSSON, O.)
SANDSTRÖM, P. E. (*see* ENGSTROM, K. G.)
SCHALLING, M. (*see* CECCATELLI, S.)
SCHALLING, M. (*see* MEISTER, B.)
SCHALLING, M. (*see* PELTO-HUIKKO, M.)
SCHALLING, M., FRIBERG, K., BIRD, E., GOLDSTEIN, M., SCHIFFMAN, S., MAILLEUX, P., VANDERHAEGHEN, J.-J. & HÖKFELT, T. Presence of cholecystokinin mRNA in dopamine cells in the ventral mesencephalon of a human with schizophrenia, 467
SCHIFFMANN, S. (*see* SCHALLING, M.)
SEHLIN, J. (*see* OHLSSON, L.)
SERFÖZÖ, P. (*see* IVERFELDT, K.)
SHYU, B. C., OLAUSSON, B. & ANDERSSON, S. A. Sympathetic and noradrenaline effects on C-fibre transmission: single-unit analysis, 85
SHYU, B. C., OLAUSSON, B., HUANG, K. H., WIDERSTRÖM, E. & ANDERSSON, S. A. Effects of sympathetic stimulation on C-fibre responses in rabbit, 73
SHYU, B. C., OLAUSSON, B. & RYDENHAG, B. Field potential analysis of the cortical projection of the central lateral nucleus in the cat, 503
SJÖBLOM-WIDFELDT, N. & NILSSON, H. Calcium dependency of the post-stimulatory potentiation of

the neurogenic response in small mesenteric arteries from the rat, 443
SJÖBLOM-WIDFELDT, N., NILSSON, H., GUSTAFSSON, H., ELY, D. L. & FOLKOW, B. Effects of prejunctional α-receptor blockade on vascular neuroeffector characteristics in rats on high sodium intake, 437
SJÖDIN, B. (*see* HELLSTEN WESTING, Y.)
SOKRAB, T.-E. O. & JOHANSSON, B. B. Regional cerebral blood flow in acute hypertension induced by adrenaline, noradrenaline and phenylephrine in the conscious rat, 101
SONG, Y.-H. & MÅRDH, S. The occurrence of gastric and duodenal auto-antibodies in peptic ulcer disease, 535
STAINES, W. (*see* CINTRA, A.)
STAINES, W. (*see* FUXE, K.)
STEFANSSON, T. S. (*see* DAGBJARTSSON, A.)
STJÄRNE, E. (*see* STJÄRNE, L.), 151, 311, 313, 315
STJÄRNE, L. (*see* BAO, J. X.)
STJÄRNE, L., MSGHINA, M. & STJÄRNE, E. K^+ channel-blocking agents may augment sympathetic transmitter secretion by action 'upstream' of varicosities, 151
STJÄRNE, L., MSGHINA, M., STJÄRNE, E. & TANAKA, E. Temperature dependence of 'local' and 'upstream' regulation of sympathetic transmitter secretion in mouse vas deferens, 311
STÄRNE, L., MSGHINA, M. & STJÄRNE, E. Is 'upstream' control of sympathetic transmitter release dependent on the length of varicosity strings?, 313
STJÄRNE, L., MSGHINA, M. & STJÄRNE, E. Individual variations in potency of α, β-methylene ATP as inhibitor of the excitatory junction current in mouse vas deferens caused by sympathetic nerve stimulation, 315
STOKKE, E. S. (*see* ØSTENSEN, J.) 177, 189
SUNDLÖFF, G. (*see* FAGIUS, J.)
SVENSSON, T. H. (*see* THOLLANDER, M.)

TANAKA, E. (*see* STJÄRNE, L.)
TERENIUS, L. (*see* HÖKFELT, T.)
THEODORSSON, E. (*see* DAHLSTRAND, C.)
THESLEFF, S. (*see* MOLGÓ, J.)
THOLLANDER, M., HELLSTRÖM, P. M. & SVENSSON, T. H. Suppression of small intestinal motility and morphine withdrawal diarrhoea by clonidine: peripheral site of action, 385
THOMSEN, C., JENSEN, K. E., ASTRUP, A., BÜLOW, J. & HENRIKSEN, O. Changes of high-energy phosphorous compounds in skeletal muscle during glucose-induced thermogenesis in man. A ^{31}P MR spectroscopy study, 335
THORSTENSSON, A. (*see* MORITANI, T.)
TINNER, B. (*see* CINTRA, A.)
TINNER, B. (*see* FUXE, K.)
TJÖREBJÖRK, H. E.(*see* ECKBERG, D.)

VAN DEN BOS, R., COOLS, A. R. & OGREN, S. O. Neurokinin A enhances the stimulatory effects of d-amphetamine on motor activity in the nucleus accumbens of the rat, 547
VANDERHAEGEN, J.-J. (*see* SCHALLING, M.)
VANE, J. (*see* FUXE, K.)
VECSEI, L. (*see* HEILIG, M.)
VILLAR, M. J. (*see* MEISTER, B.)
VILLAR, M. J. (*see* XU, X.-J.)
VØLLESTAD, N. K., BLOM, P. C. S. & GRØNNERØD, O. Resynthesis of glycogen in different muscle fibre types after prolonged exhaustive exercise in man, 15

WALLIN, B. G. (*see* ECKBERG, O. L.)
WENSELL, K. (*see* ØSTENSEN, J.)
WERSÄLL, J. (*see* HULTING, A.-L.)
WIBRAND, F. (*see* JUEL, C.)
WIDERLÖV, E. (*see* HEILIG, M.)
WIDERSTRÖM, E. (*see* SHYU, B. C.)
WIESENFELD-HALLIN, Z. (*see* XU, X.-J.)
WIKLUND, C. U. (*see* WIKLUND, N. P.)
WIKLUND, N. P., ÖHLÉN, A., WIKLUND, C. U., CEDERQVIST, B., HEDQVIST, P. & GUSTAFSSON, L. E. Neuromuscular actions of endothelin on smooth, cardiac and skeletal muscle from guinea-pig, rat and rabbit, 399
WIKSTRÖM, A.-C. (*see* CECCATELLI, S.)
WISTRAND, P. J. (*see* APPELGREN, L.-E.)

XU, X.-J., WIESENFELD-HALLIN, Z., VILLAR, M. J. & HÖKFELT, T. Intrathecal gálanin antagonizes the facilitatory effect of substance P on the nociceptive flexor reflex in the rat, 463

YARNITSKY, D. & OCHOA, J. L. Sensations conducted by large and small myelinated afferent fibres are lost simultaneously under compression–ischaemia block, 319

ZHOU, J.-Y. (*see* RYDQVIST, B.)

Subject index

4-Acetamido-4′-isothiocyanostilbene, 481
Acetazolamide, 189
Acetylcholine receptor, 549
Acetylcholine secretion, 489
Acid formation, 223
Acid secretion dynamics, 223
Acid secretion inhibition, 223
Acid translocation, 223
Acrosome, 464
Acute hypertension, 101
Adenosine, 489
Adenosine cyclic monophosphate, 489
Adenosine triphosphate (ATP), 151, 153, 311, 313, 315
Adrenaline, 101, 249, 565
Adrenergic neurotransmission, 399
Adrenergic α-receptor(s), 73, 437
Adrenergic receptors, 243
α_2-Adrenoceptor agonists, 385
β-Adrenoceptor, 101
Ageing, 23
Aldosterone, 143
Alkalosis, 143
Amiloride, 469
4-Aminopyridine, 53, 151, 311
d-Amphetamine, 547
Amphibian, 93
Angiotensin II, 421
Angiotensin II receptors, 321
Anterior pituitary gland, 237
Antihypertensive lipids, 521
Antrum, 469
Anxiety, 1
Apnoea, 157
Arachidonic acid metabolite, 153
Arterial blood pressure, 249
Arteries, 437, 443
Asphyxia, 553
Atrial natriuretic peptide, 249
Auto-antibodies, 535
Autonomic nervous system, 357
Autoradiography, 309, 449, 563

Baroreflex function, 325
Behaviour, 243
Beta mimetics, 291
Bicarbonate secretion, 357, 481
Blood flow, 125
Blood pressure, 243, 259, 421, 521
Blood pressure regulation, 325
Botulinum E neurotoxin, 497
Brain, 551, 563
Bumetanide, 189
α-Bungarotoxin binding, 549

Ca-ATPase, 23
Ca^{2+} pumps, 113
Calcitonin gene-related peptide (CGRP), 259, 555
Calcium, 443
Calcium channel, 545
Calsequestrin, 23
Capsaicin, 271
Carbonic anhydrase, 449
Cardiac output, 259
Cardiovascular and metabolic reactions, 291
Cat, 375
Catecholamine, 309
Cd^{2+}, 311, 313
Cell volume, 393
Central lateral nucleus, 503
Cerebellum, 551
Cerebral blood flow, 101
Chaotropic, 545
Chief cells, 535
Chloride diffusion, 163
Cholecystokinin (CCK), 467
Cholera toxin, 551
Cholinergic neurotransmission, 399
Chromaffin cells, 559
Circulation, 125
Cl^- secretion, 215
Clonidine, 311, 313, 385
Coexistence, 63, 467
Cold pressor test, 325
Complications, 567
ω-Conotoxin, 459
Conservative inhibition, 223
Cortical-evoked potential, 503
Cortisol, 143
Countercurrent exchanger, 207
Countercurrent multiplier, 207
Crayfish, 409
Culture, 237
Current source density, 503
Cyanide, 41
Cyclic AMP (cAMP), 13, 231
Cytosolic Ca^{2+}, 113

Dahl rats, 321
Defence area, 357
Depression, 1
3,4-Diaminopyridine, 497
Dibutyryl cyclic AMP, 489
Dietary sodium, 437

Diffusion, 177
Diuresis, 521
Diuretics, 93
Dog, 177
Dopamine, 1, 461, 547
Dopamine D1-receptor, 461
Duodenal ulcer, 535
Duodenum, 357

Efficiency, 347
Elastic loading, 301
Electrical characteristics, 469, 481
Electromyography, 347
Endothelin, 317, 399, 421, 541, 553
Endothelin-1, 155, 157
Endothelin-immunoreactivity, 557
Endothelium, 153
Endotoxin, 317
Endurance, 1
Equilibrium exchange, 33
ET-1 and ET-3 receptors, 563
Ethacrynic acid, 163, 177, 189
Exercise hyperpnoea, 301
Extrahepatic biliary motility, 375

Fertilization, 465
Fetal ECG, 291
Fetal hypoxia, 291
Field stimulation, 153
Force, 41
Frequency dependence, 63
Furosemide, 481

Gastric muocsa, 223
Gastric mucosal cells, 535
Gastrointestinal system, 357
Gene expression, 467
Glial fibriliary acidic protein, 557
Glomerular blood flow, 93
Glomerular filtration rate, 521
Glycogen structure, 15
Glycogen synthesis, 15
GM1, 551
Goat, 143
Guanethidine, 357
Guinea-pig, 107
Guinea-pig ileum, 489

Haemorrhage, 427
Heart, 271
heart muscle, 399
Heart rate, 259
Hexamethonium bromide, 259
Hippocampal formation, 155
Hippocampus, 551, 557
Histamine, 571
Hopping, 347
5-HT, 63

Human skeletal muscle, 23
Human umbilical vessels, 541
β-Hydroxybutyrate, 41
Hypernatraemia, 177
Hypotension, 427
Hypothalamus, 357
Hypovolaemia, 513

Ibotenate lesion, 557, 563
Immune system, 107
Immunohistochemistry, 461, 467, 559
In vitro, 107, 437
In-situ hybridization, 461, 467, 559
Index of conservation, 223
Indomethacin, 259
Intestinal secretion, 365
Intra-axonal flow, 151, 311, 313
Intramural nerves, 365
Ion channels, 113
Ischaemia, 155, 555
3-Isobutyl-1-methylxanthine, 484
Isozymes, 449

K^+, 41

Lactate influx, 33
Lactotrophs, 113
Laser Doppler flowmetry, 231
Leucocyte emigration, 571
Leukotriene B_4, 571
Lipoxin A_4, 571
Locus coeruleus neurons, 459
Lower body negative pressure (LBNP), 513
Lung volume 301
Lymphocytes, 107

Man, 513
Mannitol, 163, 189
Maximal exercise, 341
Mechanical work, 347
Medulla oblongata, 157
Medullipin I and II, 521
Membrane permeability, 469
Membrane potential, 41
Mental stress, 565
α,β-Methylene ATP, 315
Microcirculation, 571
Microneurography, 325
Micropuncture, 93
Microspheres, 125
Mid-suprasylvian gyrus, 503
Migrating myo-electric complex (MMC), 385
Morphine withdrawal, 385
Motoneurons, 555
Motor activity, 547
Mouse vas deferens, 151, 315
Mucosal protection, 357, 481
Muscarinic autoinhibition, 489

Muscarinic receptors, 135
Myelinated nerve, 53
Myenteric plexus, 489

NaCl absorption, 215
Neostriatum, 309
Nerve recording, 567
Neurokinin A, 547
Neuroleptic, 309
Neuromuscular transmission, 497
Neuropeptide Y, 243, 421
Neuropeptides, 197
Nifedipine, 459
Nitroprusside, 503
Nociception, 503
Node of Ranvier, 53
Non-conservative inhibition, 223
Non-neurogenic, 153
Noradrenaline, 1, 73, 85, 101, 249, 443
NPPB, 215
Nucleus accumbens, 309, 547

Oestrogen, 135
Omeprazole, 223
Oocytes, 465
Ouabain, 189
Outer hair cell, 549
Oxotremorine, 489
Oxygen consumption, 189
Oxygen free radicals, 341
Oxymetazoline, 385

^{31}P MR spectroscopy, 335
P_2-purinoceptors, 315
Pain, 73, 85
Pancreatic islet cells, 393
Paraesthesiae, 567
Parietal cells, 535
Parotid saliva, 379
Peptide(s), 231, 309, 465, 555
Perchlorate, 545
Permeability, 177
pH measurements, 33
Phentolamine, 73
Phenylephrine, 101
Phenylethanolamine *N*-methyltransferase, 559
8-Phenyltheophylline, 489
Physical exercise, 1
Pig, 271
Plasma extravasation, 571
Plasma growth factor activity, 565
Plasma potassium 143
Plasma volume, 513
Plasminogen activator inhibitor, 379
Posterior pituitary, 461
Posture, 347
Potassium, 237, 545
Potassium current, 53, 409
Potential difference (PD), 365
Power, 347
Prolactin secretion, 113
Prostaglandins, 481
Protein metabolism, 449
Pulmonary stretch receptors, 301

Rabbit, 85, 135
Rat, 437, 443, 551
Rat colon, 215
Rat tail artery, 151, 153
Reactive hyperaemia, 271
Reflection coefficient, 177
Regional blood flow, 259
Regulation, 125, 321
Regulatory volume decrease, 393
Relaxation, 153
Release, 63, 553
Renal, 317, 421
Renal medulla, 521
Renal plasma flow, 521
Renin, 143, 427
Renomedullary interstitial cells, 521
Respiration, 157
Respiratory inhibition, 41
Ryanodine receptor, 23

Salivary gland, 231
Salt loading, 461
Sarcoplasmic reticulum, 23
Second messenger, 151, 311, 313
Sedation, 243
Sensitivity, 315
Serotonin, 1, 63
Sheep, 427
Single C fibre, 85
Skeletal muscle, 15, 271, 335, 399
Skin, 271
Small intestine, 207
Smooth muscle, 399
Sodium excretion, 143
Solute–water interaction, 163
Solvent drag, 177
Somatotrophs, 237, 545
Somatotropin, 545
Somatotropin releasing hormone, 237
Spatial variations, 125
Sperms, 465
Spinal cord, 555
Splenic, 317
Spontaneously hypertensive rat, 243
Steroids, 559
Stretch receptor, 409
Stretch–shortening, 347
Striatum, 155
String length, 313
Substance P, 63
Substantia nigra, 467

Substituted benzimidazoles, 223
Sympathetic, 567
Sympathetic nerve stimulation 365
Sympathetic nerve terminals, 313
Sympathetic nerves, 151, 311, 315, 443
Sympathetic nerve system, 325, 357
Sympathetic stimulation, 85
Sympathetic trunk stimulation, 73

Temperature, 311
Temporal variations, 125
Tetraethylammonium, 151, 311
Tetrodotoxin (TTX), 153
Thermogenesis, 335
Thyrotropin releasing hormone (TRH), 63
Tight junction, 163, 177
Tissue distribution, 449
Tissue plasminogen activator, 379
Tracer uptake, 33
Training, 23
Transcapillary fluid absorption, 513
Transmitter release, 497
Transmural nerve stimulation, 437, 443
Triceps surae, 347
Tryptophan, 1
Tubuloglomerular feedback, 93
Tyrosine hydroxylase, 467

Unmyelinated fibre, 73
Urinary bladder, 135
Urinary electrolytes, 521

Vasodilation, 231
Varicosities, 313
Vascular resistance, 421
Vasoactive intestinal peptide (VIP), 375
Vasoactive intestinal polypeptide (VIP), 113
Vasoconstriction, 317, 541, 553, 555
Vasodilation, 259
Vasomotion, 125
Vasopressin, 250, 427
Villi, 207
VIP antisera, 375
Voltage-sensitive Ca^{2+} channels, 459
Voltage clamp, 53
Volume regulation, 393

Water deprivation, 249
Water intake, 249
Weakness, 567

Xanthine oxidase, 341